


INSTALLATION GUIDE


Rectangular Base Piece V2

VB_MNT_BP2

Designed for Fixed Surface VESA VidaMount V2 (FXS2)



Compatible with:



VB_MNT_FXS2

Fixed Surface VidaMount V2


Installation Instructions

Rectangular Base Piece V2 for VidaMounts


Important Note:

- If charging is desired, please prepare the extension cable and / or charging solution for the tablet mount first. Installing the charging solution / extension cable will be easier to do now, rather than later.
- This base piece is only compatible w. Fixed Surface v2 [FXS2] VidaMount. Earlier [FXS] models will not work.

Component Checklist:




Rectangular Base Plate




(6) Self-Adhesive Feet for Base Plate

① Assemble the Fixed Surface Mount V2 (FXS2)

Follow the instructions included with the Fixed Surface VidaMount® V2.




VESA Mounting Plate



Fixed Surface Mounting Tube (Version 2)




(4) M5x8 Phillips "Flat-head" / Countersink Head Screws




Fixed Surface v2 Mount Assembly


② Install Self-Adhesive Feet at Bottom of Base Piece



③ OPTIONAL : Install Kensington Lock




Kensington Security Slot Plate (Optional)




Kensington Lock (Not included)


For security, one may wish to add the optional Kensington Security Slot Plate with a compatible Kensington lock. (Lock sold separately, not included.)



Kensington Slot
(With included add-on and lock installed)



④ Install Base Piece V2 onto the Bottom of the Assembly



Install (4) M5x8 "Flat-head" /
Countersink Screws
(Turn clockwise with
a Phillips screw driver.)



125 Newtown Rd, Ste 100
Plainview, NY 11803 USA

Toll-free US: (844) 4-KIOSKS
Worldwide: +1 516-499-5050
Australia: +61 1300 44 VIDA
EU/UK: +44 333 444 VIDA